



Different Sizes and Specifications AAC Conductor Overhead Stranded Wire Aluminum Cable

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: Golden Electric /OEM
- Certification: ISO 9001, ISO 9000, ISO 14001, ISO 14000, ISO 20000, OHSAS/ OHSMS 18001, IATF16949
- Minimum Order Quantity: 1
- Packaging Details: Carton/Pallet
- Delivery Time: Peak Season Lead Time: more than 12 months Off Season Lead Time: within 15 workdays
- Payment Terms: LC, T/T, PayPal, Western Union
- Supply Ability: 5000/Month




Product Specification

- Key Words: Conductor
- Standard: IEC 61089-1991 ASTM B 399-81 BS3242-1970 DIN 48
- Certificate: ISO9001/ISO14001 /OHSAS18001/CCC
- Package: Wooden And Steel-Wooden Drum
- Transport Package: Ocean Freight Box Packing+Carton+Pallets
- Specification: Different Sizes And Specifications
- Trademark: Golden Electric Or Customize
- Origin: China
- HS Code: 8544609090
- Supply Ability: 5000/Month
- Type: Bare
- Application: Overhead Power Transmission, Power Transmission
- Conductor Material: Aluminum
- Conductor Type: AAC



More Images



for more products please visit us on chinagoldene.com

Product Description

Company

Profile

GoldenElectricCo., Ltd.

is professional make of Electrical products .Such as distribution box, waterproof plug, socket, wall switch, waterproof plastic ,Aluminum box ,Changeover Switch and disconnecting switch,MC4 Connector.isolator switch.fusebreaker.distribution box,PV combiner box .surge protector, Indicatorlamp,Solar Charge Controller,Industrialplugandsocket,BusbarInsulator,Meter Socket,Wind Turbine, Terminal Block,Solar product and so on. all products comply with IEC, A S/NZS standard. passed CE, IP66, ROHS certificates.at present we have exported to many countries and have serve these customers with professional electrical solution.

Product Description

Overhead Ground Aluminum Conductor

All Aluminium Conductor (AAC) is made up of one or more strands of hard drawn 1350 aluminum alloy, which can be used as bare overhead conductor for distribution lines. AAC has been extensive used in urban areas where spans are usually short but high conductivity is required. While because of its relatively poor strength to weight ratio, AAC has limited use in transmission lines and rural distribution because of long spans utilized.





Golden Electric




Golden Electric






Golden Electric



Golden Electric





Golden Electric



Golden Electric




Products Details

Code	Size	Section	No. of Strands	Diameter Strands	Weight	Rated Strength	Maximum Resistance at 20°C
	AWG or MCM	in ²	mm	mm	kg/km	kg	Ω/km
Peachbell	6	13.3	7×1.56	4.66	36.6	254	2.170
Rose	4	21.15	7×1.96	5.88	58.3	399	1.364
Iris	2	33.62	7×2.47	7.42	92.7	611	0.857

Pansy	1	42.4 1	7×2.78	8.33	117. 0	740	0.681
Poppy	1/0	53.5 1	7×3.12	9.36	147. 5	897	0.539
Aster	2/0	67.4 4	7×3.50	10.51	186. 0	1,136	0.427
Phlox	3/0	85.0 2	7×3.93	11.80	235. 0	1,375	0.339
Oxlip	4/0	107	7×4.42	13.25	296. 0	1,738	0.268
Daisy	266.8	135	7×4.96	14.88	373. 0	2,191	0.213
Laurel	266.8	135	19×3.01	15.05	373. 0	2,254	0.213
Tulip	336.4	171	19×3.38	16.90	470. 0	2,786	0.169
Canna	397.5	201	19×3.68	18.38	555. 0	3,219	0.143
Cosmos	477	242	19×4.02	20.12	666. 0	3,803	0.119
Syringa	477	242	37×2.88	20.18	666. 0	3,932	0.119
Dahlia	556.5	282	19×4.35	21.73	777. 0	4,431	0.102
Mistletoe	556.5	282	37×3.11	21.80	777. 0	4,495	0.102
Orchid	636	322	37×3.33	23.31	888. 0	5,154	0.089
Violet	715.5	363	37×3.53	24.73	1,00 0	5,791	0.079
Nasturtium	715.5	363	61×2.75	24.76	1,00 0	5,960	0.079


— High Current Carrying Capacity —

Used in urban areas with a short span but high conductivity requirements, so AAC has a high current carrying capacity.



— Excellent Resistance To Corrosion —

AAC conductor has excellent corrosion resistance and long life.




— Suitable For Urban Medium — And Low Voltage Lines

AAC conductor is suitable for urban areas with high conductivity. Due to its short span, it is suitable for medium and low voltage lines.



— Meet International — Production Standards

AAC we manufacture can meet or exceed the requirements of all international standards like ASTM, AS, BS, CSA, DIN, IEC, NFC, etc.



Products Category



Electrical Handle Network Crimping Tool



2Gnag Switch 1Gang Electrical Socket



Copper Aluminum Terminal Cable Lug



Solar PV Electr Waterproof DC Isolation

Switch

FAQ

Q1: Are you a factory or trading company

A1: We are a factory, we can guarantee our price is first-hand, very cheap and competitive.

Q2: How does your factory do regarding quality control?

A2: All the products will be 100% checked before the shipment

Q3: When can I get the price?

A3: Usually we quote within 24 hours after we get your inquiry.

Q4: How could I get a sample?

A4: if you can not buy our product in your local area, we will ship a sample to you. You will be charged a sample price plus all related shipping costs. Express delivery charge depends on the quantity of the samples.

Q5: What is the price of shipping?

A5: Depending upon the port of delivery, prices vary.

Any more query please contact with us, thank you!



Guangzhou Golden Electric Co., Ltd.



008618998498109



eva@china-golden.com.cn



chinagoldene.com

Building 4, Self-edited Building, No. 728, Kaichuang Avenue, Yunpu Industrial Zone, Huangpu District,
Guangzhou city,Guangdong province,China