

Aluminum Heater Djr 100W 220V for Power System Equipment Dehumidification and Heating

Basic Information

Place of Origin: China

Brand Name: Golden Electric /OEM

• Certification: ISO 9001, ISO 9000, ISO 14001, ISO 14000,

ISO 20000, OHSAS/ OHSMS 18001,

IATF16949

Minimum Order Quantity:

• Packaging Details: Carton/Pallet

Delivery Time: Peak Season Lead Time: more than 12

months Off Season Lead Time: within 15

workdays

• Payment Terms: LC, T/T, PayPal, Western Union

Supply Ability: 5000/Month



Product Specification

Dimension(L*W*H): 144X75X24
Voltage: 220V, 110V
Working Temperature -50 - 200 °C

Range:

• Key Selling Points: Long Service Life

Material: Aluminum Alloy, Nickel-Chromium Alloy

Resistance Wi

• Type Of Heater Wire: Ni80cr20

Application: Moisture-Proof And Heat-Insulating

Incubation Of E

• Power: 30W-600W

Application 2: Heater Parts, High Voltage Switchgear

Usage: Dehumidification And Dryness In Distribution

Cabin

Keywords: Radiant Enclosure Heater

• Color: Silver



More Images









Product Description

Company

Profile GoldenElectricCo., Ltd.

is professional make of Electrical products. Such as distribution box, waterproof plug, socket, wall switch, waterproof plastic, Aluminum box, Changeover Switch and disconnecting switch, MC4 Connector. isolator switch.fusebreaker.distribution box,PV combiner box .surge protector, Indicatorlamp,Solar Charge Controller, Industrial plugands ocket, Busbar Insulator, Meter Socket, Wind Turbine, Terminal Block, Solar product and so on. all products comply with IEC, A S/NZS standard. passed CE, IP66, ROHS certificates.at present we have exported to many countries and have serve these customers with professional electrical solution.

Product Description

-Introduction:

Type DJR aluminum alloy pectination heater is a new heater design for electrical equipment damprof. This heater is composed of alwninum alloy cooling plant and good quality of alloy heating wire. There have five characters small cubage beautiful apprence thermolysis uniformity and larger cubage of thermolysis that assure the heating wire can use more time than the common heater can work credibility.

-Features:

The heater use 6063-T5 Aluminum Alloy extrusions for the conduction cooling body, its internal heater using Qualitied Ni80Cr20 nickel-chromium alloy.

The product has small size, light weight, heat dissipation area and long life, the Wiring Terminal device is safe, reliable, not easy to damage.


-Specifications:

Voltage: AC/DC 55V 110V 220V 380V

Heating power: 50W 75W 100W 150W 200W 500W


Insulation resistance :more than 100M Withstand voltage test :more than 2000V/min

Mounting bracket :S type,L type

















Products Details


alloy heat dissipation material

- High quality hardware accessories



- Fully sealed construction





Spec L W A B Hole Diameter

A 132 85 55112 6.5

Power :50/100/150/200W

Spec L W A B Hole Diameter

B 16310055143 6.5

Power :50/100/150/200/250/300W



Spec L W A B Hole Diameter

C 160 75 50134 16*6

Power :50/100/150/200W


Spec L W A B Hole Diameter

D 20010455173 10*6

Power:500W

Products Category







DIN Rail Mount Screw Fixed Combined Terminal

Block





Electrical Fixed Terminal Stips Wire Connectors

Stainless Steel Power Combination Socket

Box

Packing & Delivery

Packaging Details: carton with foam inside

Picture Example:





Lead time:

Quantity(pieces) 1 - 10>10

Lead time (days) 7 To be negotiated

FAQ

Q1: Are you a factory or trading company

A1: We are a factory, we can guarantee our price is first-hand, very cheap and competitive.

Q2: How does your factory do regarding quality control?

A2: All the products will be 100% checked before the shipment

Q3: When can I get the price?

A3:Usually we quote within 24 hours after we get your inquiry.

Q4: How could I get a sample?

A4: if you can not buy our product in your local area, we will ship a sample to you. You will be charged a sample price plus all related shipping costs. Express delivery charge depends on the quantity of the samples.

Q5: What is the price of shipping?

A5: Depending upon the port of delivery, prices vary.

Any more query please contact with us, thank you!



chinagoldene.com

Building 4, Self-edited Building, No. 728, Kaichuang Avenue, Yunpu Industrial Zone, Huangpu District, Guangzhou city, Guangdong province, China